

Basic Attributes	Number	Name	UOM	Version
	02657343	Plug, Test, 3-1/2 REG Pin, 1/2 NPT, 8.50 LG	each	A.3
Primary Legacy Number	2657343	State	Released	
Secondary Legacy Number		Is Prime	Not Set	
Type	Component	Source	Make	
Original Submitter	Ismail, IsmailMohammed 2017-12-27 06:44:20 CST	Latest Submitter		
Original Checker		Latest Checker		
Original Promoter	Bhadran, Santosh 2017-12-28 00:50:00 CST	Latest Promoter		
Described By	Document Number	Version		
	C007599918 (Model)	A.2		
	C007599917 (Drawing)	A.5		
ECN is Changing/Changed This Version	374922 (Initial Release - Test Plugs)			
Classification	Weatherford/Casing Exits/Components			
Attribute	Value	Attribute	Value	
COATING SPECIFICATION	WC101	COATING SPECIFICATION SUPPLEMENTS	S0 (none)	
GENERIC DESCRIPTION	Test Plug	HEAT TREATMENT SPECIFICATION	none	
HEAT TREATMENT SPECIFICATION SUPPLEMENTS	S0 (none)	MATERIAL SPECIFICATION	WS412	
MATERIAL SPECIFICATION SUPPLEMENTS	S0 (none)	MISCELLANEOUS INFORMATION	Alternate material WS415	
MODEL DESIGNATION	multiple	OTHER SPECIFICATION	WT075 (Metal Stamping And Engraving)	
QUALITY AND TESTING SPECIFICATION 1	none	QUALITY AND TESTING SPECIFICATION 1 SUPPLEMENTS	S0 (none)	
WELD 2 SPECIFICATION	none	WELD SPECIFICATION	none	
PDF Created: 2017-12-28 00:52:09 CST  © Weatherford 2017 All rights reserved This document is copyrighted and whether containing patentable or non-patentable subject matter is and comprises the proprietary and confidential information of Weatherford International Ltd. and by receiving this document the recipient agrees that this document is loaned in confidence with the understanding that neither it nor the information in it will be reproduced or disclosed, in whole or in part for any purpose except the limited purpose for which it is loaned. This document and any facsimiles hereof shall be returned to Weatherford International Ltd. upon demand. PDM SYSTEM INFORMATION FOR PART 02657343 Plug, Test, 3-1/2 REG Pin, 1/2 NPT, 8.50 LG				

Part 02657343, Plug, Test, 3-1/2 REG Pin, 1/2 NPT, 8.50 LG, A (Design) BOM List:



Line Number	Number	Primary Legacy Number	Name	Quantity	UOM	Find Number	Reference Designator
1	00102302	60020	Thread protector, 3.500 IN regular pin, plastic	1.0	each		

PDF Created:
2017-12-28 00:52:09 CST




© Weatherford 2017 All rights reserved
This document is copyrighted and whether containing patentable or non-patentable subject matter is and comprises the proprietary and confidential information of Weatherford International Ltd. and by receiving this document the recipient agrees that this document is loaned in confidence with the understanding that neither it nor the information in it will be reproduced or disclosed, in whole or in part for any purpose except the limited purpose for which it is loaned. This document and any facsimiles hereof shall be returned to Weatherford International Ltd. upon demand.

PDM SYSTEM INFORMATION FOR PART 02657343
Plug, Test, 3-1/2 REG Pin, 1/2 NPT, 8.50 LG



DETAIL A

NOTE: 1) O RING SIZE # 154, NITRILE, 90DURO
2) MAXIMUM TEST PRESSURE 10000PSI

DRAWING UNITS: INCH [mm]		FISHING/RE-ENTRY		SHEET : 1 OF 1		 © Weatherford 2017 All rights reserved This document is copyrighted and whether containing patentable or non-patentable subject matter is and comprises the proprietary and confidential information of Weatherford International Ltd, and by receiving this document the recipient agrees that this document is loaned in confidence with the understanding that neither it nor the information in it will be reproduced or disclosed, in whole or in part for any purpose except the limited purpose for which it is loaned. This document and any facsimiles hereof shall be returned to Weatherford International Ltd upon demand.							
TOLERANCES (DRIVEN BY IMPERIAL SIZE)		Location: DUBAI, UAE		SIZE : B									
INCH	mm	UNLESS OTHERWISE SPECIFIED		SCALE : 1.000									
X	±.12	1 THREADS 125µin [3.2µm] / MACHINED SURFACES 250µin [6.3µm] 2 BREAK ALL EDGES 0.015 [0.38] X 45° OR R0.015 [0.38]		WEIGHT: NA									
X.X	±.025	[±0.64]		NAME		Plug, Test, 3-1/2 REG Pin, 1/2 NPT, 8.50 LG							
X.XX	±.010	[±0.25]		MODEL FILE		MODEL VERSION		DRAWING FILE		DRAWING VERSION			
X.XXX	±.005	[±0.13]		C007599918		A.2		3RD ANGLE 		C007599917		A.5	
ANGLES		X°±1/2°		5 THREAD ENTRY AND EXIT ANGLES TO BE 25-45° FROM THREAD AXIS									